


RAD-CAB-EF142-3M

Order No.: 2884512



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2884512>

Antenna cable, 3 m in length; SMA (male) -> SMA (male), attenuation approx. 0.93 dB at 2.4 GHz; impedance 50 ohms

Commercial data	
GTIN (EAN)	
sales group	L084
Pack	1 pcs.
Customs tariff	85442000
Catalog page information	Page 130 (AX-2011)

Product notes

WEEE/RoHS-compliant since:
03/22/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
Cable type	
Cable type	EF 142
Cable, attenuation	Approx. 0.93 dB/m
External sheath	
Outer sheath, material	Radox (LSFH)

External diameter	5 mm
Mechanical properties	
Bending radius, long-term	30 mm
Ambient temperature (operation)	-40 °C ... 105 °C
Ambient temperature (storage/transport)	-40 °C ... 105 °C
General data	
Impedance	50 Ω
Connection method	SMA (male)

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;