


RAD-ISM-2400-ANT-OMNI-9-0

Order No.: 2867623

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867623>

Omni-directional antenna, IP65 degree of protection, 9 dBi gain, linear vertical, N (female) connection, impedance 50 ohms, apex angle h/v 360°/15°

Commercial data	
GTIN (EAN)	 4 017918 939007
sales group	H179
Pack	1 pcs.
Customs tariff	85177019
Catalog page information	Page 524 (IF-2007)

Product notes

WEEE/RoHS-compliant since:
11/23/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General data	
Frequency range	850/900/1800/1900/2100 MHz
	2.4 GHz
Horizontal beamwidth	360 °
Vertical beamwidth	15 °

Impedance	50 Ω
Gain	9 dBi
Connection method	N (female)
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 75 °C
Width	25 mm
Height	625 mm

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;