








Manifold
D05 Standard Flow Parallel

PDF DATASHEET

© 1992-2017 CADENAS GmbH

Last Modification (geometry): 26/10/2016 08:45

Datasheet creation date: 27/02/2017 05:46








Manifold
D05 Standard Flow Parallel

PDF DATASHEET

© 1992-2017 CADENAS GmbH

Last Modification (geometry): 26/10/2016 08:45

Datasheet creation date: 27/02/2017 05:46





Manifold
D05 Standard Flow Parallel

PDF DATASHEET

© 1992-2017 CADENAS GmbH

Last Modification (geometry): 26/10/2016 08:45

Datasheet creation date: 27/02/2017 05:46

PN (Part number)	AD05P025S
VP (Valve Pattern)	D05 / ISO 4401-05-04; NFPA T3.5.1-D05
MAT (Material)	Aluminum - 6061-T6
ST (Surface Treatment)	None
CIR (Circuit)	Parallel Circuit Standard Flow
NOS (No. of Stations)	2
VS (Valve Spacing)	5.00 inch
PT (Port Threads)	SAE - ISO 11926
CAV (Cavity)	without Cavity
PI (Pressure Isolation)	Not required
TI (Tank Isolation)	Not required
CIC (Cavity & Isolation Combinations)	N/A
A (A / INCH)	8.25
DIMA (Dim A / INCH)	0
DIMB (Dim B / INCH)	0
DIMC (Dim C / INCH)	0



Bill of material

N°	Description	Amount
1.1	AD05P025S	1