



Manifold



D05 Standard Flow Series Circuit

PDF DATASHEET

© 1992-2017 CADENAS GmbH

Last Modification (geometry): 15/11/2016 07:17

Datasheet creation date: 01/03/2017 10:48






Manifold
D05 Standard Flow Series Circuit

PDF DATASHEET

© 1992-2017 CADENAS GmbH

Last Modification (geometry): 15/11/2016 07:17

Datasheet creation date: 01/03/2017 10:48





Manifold

D05 Standard Flow Series Circuit

PDF DATASHEET

© 1992-2017 CADENAS GmbH

Last Modification (geometry): 15/11/2016 07:17

Datasheet creation date: 01/03/2017 10:48

PN (Part number)	AD05S033S/C
VP (Valve Pattern)	D05 / ISO 4401-05-04; NFPA T3.5.1-D05
MAT (Material)	Aluminum - 6061-T6
ST (Surface Treatment)	None
CIR (Circuit)	Series Circuit Standard Flow
NOS (No. of Stations)	3
VS (Valve Spacing)	3.25 inch
PT (Port Threads)	SAE - ISO 11926
CAV (Cavity)	Common Cavity: 2-station has solenoid clearance. 3 & 4 station does not have solenoid clearance. C-10-2 (P in nose)
A (A / INCH)	9.75
DIMA (Dim A / INCH)	3.25
DIMB (Dim B / INCH)	2.25



Bill of material

N°	Description	Amount
1.1	AD05S033S/C	1