



# Gas Airless Sprayers

The Industry Leader in Innovation, Power and Performance.



PROVEN QUALITY. LEADING TECHNOLOGY.

# Gas Airless Sprayers



Unmatched Power and Performance in Gas Airless Sprayers



GMAX™ 3400

GMAX II 3900

GMAX II 5900

GMAX II 5900 Convertible

GMAX II 7900

IronMan 500G

GH™ 130 Convertible

GH 200 Convertible

GH 230 Convertible

GH 300

GH 733 & Roof Rigs™

GH 833 Big Rig™



*"We only use Graco sprayers and would never think of using any unit that isn't blue."*

- Mike Smith -

Swanson & Youngdale Painting  
Minneapolis, MN



**We Stand Behind the Quality  
Built Into Every Product**

Only Graco delivers the industry's first choice for gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance.



### Proven Quality

- Precision design, 100% factory-tested, and field-proven.
- Consistent improvements on cutting-edge technology keep Graco sprayers running on the job for years.

### Maximum Performance

- Higher output with superior control ensures highest quality finish for every job.
- Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

### Longest Warranty

- Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.
- Sprayers so reliable you may never need to use the warranty.

### Unmatched Productivity

- Industry leading features make transport, set-up, operation and clean-up simple and less time-consuming.
- Exclusive Endurance™ Pumps deliver long life, reliable performance, and consistent spraying.
- The Endurance Advantage™ Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

# GMAX 3400



The GMAX 3400 is the perfect sprayer for the entry-level contractor who is looking for maximum power in a light weight portable package.

## Exclusive Endurance™ Pump

- Long-life V-Max Blue™ Packings, Chromex Rod and case hardened cylinder
- QuikAccess™ intake valve to easily clean or clear debris

## Honda® Power

- 120 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

## Light Weight Design

- Graco's lightest professional gas sprayer at only 89 lbs (40.4 kg)
- Easy to load and unload on job sites

## Single-Stage Gear Drive System

- Quiet running gear system
- Long life drive system prevents down time
- Light weight design
- Fewer parts to maintain, less service requirements

## Electronic Pressure Control System

- Consistent spray with all materials
- Excellent spray pattern provides a high quality finish

## Chrome Plated, Welded Steel Cart

- Rugged welded steel construction
- Integrated hose rack with retractable handle
- Lift handles offer convenient grab points
- Tubed pneumatic wheels roll easily on all surfaces

## Easy Out™ Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GMAX 3400 Hi-Boy Complete	248664	0.027	.75 (2.8)	3300 (227)
GMAX 3400 Lo-Boy Complete	248666	0.027	.75 (2.8)	3300 (227)

All units include: New Contractor™ Gun, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Hose, RAC® X 517 Tip and Guard, Whip Hose.



Single-stage gear drive provides increased performance with less weight.



Electronic Pressure Control provides high quality spray pattern.



Inlet tube removes by hand for easy clean up.

The GMAX II 3900 is the perfect sprayer for the professional contractor who is working on new residential construction job sites.

### Proven Endurance Pump

- Exclusive ProConnect™ system allows quick change-out of pumps – no tools required
- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

### Honda Power

- 120 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

### SmartControl Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
  - WatchDog™ system automatically shuts off sprayer when bucket is empty to prevent damage

### Exclusive Advantage Drive™ System

- Time-tested drive system provides peace of mind
- Lifetime guarantee
- Hardened helical gears are quiet running
- Auto adjust/alignment system

### Chrome Plated, Welded Steel Cart

- Rugged welded steel construction
- Integrated hose rack with retractable handle
- Lift handles offer convenient grab points
- Tubed pneumatic wheels roll easily on all surfaces

### Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
  - Filter removes with the cap for less mess

# GMAX II 3900



Premium Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GMAX II 3900 Hi-Boy Standard	248684	0.036	1.25 (4.7)	3300 (227)
GMAX II 3900 Hi-Boy Premium*	248686	0.036	1.25 (4.7)	3300 (227)
GMAX II 3900 Lo-Boy Standard	248683	0.036	1.25 (4.7)	3300 (227)
GMAX II 3900 Lo-Boy Premium*	248685	0.036	1.25 (4.7)	3300 (227)

All units include: New Contractor Gun, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose, RAC X 517 Tip and Guard, Whip Hose.

\*Premium units include: AutoClean2, Digital Display and Toolbox.



Exclusive Endurance Advantage Program eliminates downtime.



SmartControl provides high quality spray pattern plus the WatchDog Pump Protection System.



Exclusive ProConnect System – no-tools removal and installation for fast repairs on the job.



# GMAX II 5900



Premium Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GMAX II 5900 Hi-Boy Standard	248688	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Hi-Boy Premium*	248690	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Lo-Boy Standard	248687	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Lo-Boy Premium*	248689	0.043	1.6 (6.0)	3300 (227)

All units include: New Contractor Gun, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose, RAC X 517 Tip and Guard, Whip Hose.

\*Premium units include: AutoClean2, Digital Display and Toolbox.



Exclusive Endurance Advantage Program eliminates downtime.



SmartControl provides high quality spray pattern plus the WatchDog Pump Protection System.



Exclusive ProConnect System – no-tools removal and installation for fast repairs on the job.

The GMAX II 5900 is the most demanded sprayer for the professional contractor spraying new residential/commercial jobs – who knows what it takes to get the job done right, the first time.

## Proven Endurance Pump

- Exclusive ProConnect system allows quick change-out of pumps – no tools required
- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

## Honda Power

- 160 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

## SmartControl Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
- WatchDog system automatically shuts off sprayer when bucket is empty to prevent damage

## Exclusive Advantage Drive™ System

- Time-tested drive system provides peace of mind
- Lifetime guarantee
- Hardened helical gears are quiet running
- Auto adjust/alignment system

## Chrome Plated, Welded Steel Cart

- Rugged welded steel construction
- Integrated hose rack with retractable handle
- Lift handles offer convenient grab points
- Tubed pneumatic wheels roll easily on all surfaces

## Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess



The GMAX II 5900 Convertible is the industry's best gas/electric sprayer for the contractor who demands indoor/outdoor flexibility to get the job done.

### Proven Endurance Pump

- Exclusive ProConnect system allows quick change-out of pumps – no tools required
- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

### Honda Power

- 160 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

### SmartControl Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
  - WatchDog system automatically shuts off sprayer when bucket is empty to prevent damage

### Exclusive Advantage Drive System

- Time-tested drive system provides peace of mind
- Lifetime guarantee
- Hardened helical gears are quiet running
- Auto adjust/alignment system

### Convertible Power - Electric/Gas

- No-tools change out system is easy to use
- Self-tensioning belt for long life
- Quiet, indoor use not a problem
- 2.0 hp TEFC DC Motor delivers the power

### Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

# GMAX II 5900 Convertible



Premium Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GMAX II 5900 Hi-Boy Standard Convertible	248691	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Hi-Boy Premium Convertible*	248692	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Hi-Boy Standard Convertible w/Electric Motor Kit (Non CSA)	248693	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Hi-Boy Standard Convertible w/CSA Electric Motor Kit	248694	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Lo-Boy Standard Convertible	248695	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Lo-Boy Premium Convertible*	248696	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Hi-Boy Premium Convertible* w/Electric Motor Kit (Non CSA)	248889	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Lo-Boy Standard Convertible w/Electric Motor Kit (Non CSA)	248697	0.043	1.6 (6.0)	3300 (227)
GMAX II 5900 Lo-Boy Premium Convertible* w/Electric Motor Kit (Non CSA)	248890	0.043	1.6 (6.0)	3300 (227)

*NOTE: Electric Motor Max Tip is .031 and Max GPM (LPM) is 1.1 (4.2)*  
 All units include: New Contractor Gun, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose, RAC X 517 Tip and Guard, Whip Hose.  
 \*Premium units include: AutoClean2, Digital Display and Toolbox.



Exclusive Endurance Advantage Program eliminates downtime.



Change from gas to electric in seconds without any tools.



Exclusive ProConnect System – no-tools removal and installation for fast repairs on the job.



# GMAX II 7900



Premium Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GMAX II 7900 Lo-Boy Standard	248700	0.048	2.2 (8.3)	3300 (227)
GMAX II 7900 Lo-Boy Premium*	248702	0.048	2.2 (8.3)	3300 (227)
GMAX II 7900 Hi-Boy Standard	248701	0.048	2.2 (8.3)	3300 (227)
GMAX II 7900 Hi-Boy Premium*	248703	0.048	2.2 (8.3)	3300 (227)
GMAX II 7900 Hi-Boy Roof Rig^	248953	0.048	2.2 (8.3)	3300 (227)

All units include: New Contractor Gun, 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Hose, RAC X 517 Tip and Guard, 1/4 in (6.4 mm) Whip Hose.

\*Premium units include: AutoClean2, Digital Display and Toolbox.

^ Roof Rig includes: Heavy Duty Gun, 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Hose, 20 in (50 cm) Fixed Heavy Duty Extension, 1/4 in (6.4 mm) Whip Hose, Hose Swivel and (2) RAC X Tips and Guard.



Exclusive Endurance Advantage Program eliminates downtime.



SmartControl provides high quality spray pattern plus the WatchDog Pump Protection System.



Exclusive ProConnect System – no-tools removal and installation for fast repairs on the job.

The GMAX II 7900 sprayer is the most powerful sprayer for high production paint contractors doing large tract, commercial and new residential construction jobs – where uninterrupted spraying is expected.

## Exclusive MaxLife Endurance Pump

- Exclusive MaxLife rod and sleeve delivers unmatched durability and life — Graco's best
- Exclusive ProConnect system allows quick change-out of pumps – no tools required
- QuikAccess Intake Valve to easily clean or clear debris

## Honda Power

- 200 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

## SmartControl Pressure Control

- Advanced microprocessor-based control delivers Graco's most consistent spray fan at all spraying pressures
- WatchDog system automatically shuts the pump off when material runs out

## Exclusive Advantage Drive System

- Time-tested drive system provides peace of mind
- Lifetime guarantee
- Hardened helical gears are extremely quiet running
- Auto adjust/alignment system

## Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess





Power, durability, and capability is what makes this Graco sprayer an IronMan. From its oversized engine to its rugged, heavy-duty frame, the IronMan is built with extreme ruggedness for the serious contractor.

### Extreme-Duty MaxLife HD Pump

- Exclusive MaxLife sleeve and Chromex rod delivers unmatched durability and life
- Long pump design puts the intake in the material – resulting in consistent priming with even the thickest materials
- Oversized clearances ensure minimal pressure drop and increase performance

### Increased Honda Power

- 200 cc Honda Engine is oversized for increased performance and long life
- Oil alert shuts the engine down when the oil level is low – saving you from a costly repair

### Extreme-Duty Prime Valve

- Designed to hold up to high pressure dumps for the most extreme jobsite conditions

### Extreme-Duty Drive

- Lifetime lubricated and guaranteed for life

### Extreme-Duty Frame

- “Indy Car” style roll cage protects all critical sprayer components from extreme jobsite abuse on all surfaces

### Flat-Proof Tires

- Nails, screws, blades cannot flatten these tires
- Pneumatic tire performance

### Crush-Proof Intake Screen

- Holds up to impacts which are common on the jobsite

### Control Lock Theft Deterrent

- Allows the user to lock/disable the sprayer – deters jobsite theft
- Protects the controls from jobsite abuse



# IronMan 500G



DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
IronMan 500G	256790	0.043	1.6 (6.0)	3300 (227)

Includes: Silver Plus™ Gun, 1/4 in x 50 ft (6.4 mm x 15 m) & 3/8 in x 50 ft (9.5mm x 15 m) BlueMax II Hose, RAC X 527, RAC X 1231 Tip and Guard.



Control lock protects and locks controls



Extreme-duty roll cage frame with a build-in hose wrap



Crush-proof intake screen holds up to jobsite abuse

# GH 130 Convertible

The GH 130 Convertible is the clear choice for entry level contractors who demand max power in a small package.

## Exclusive Graco Endurance Pump

- Proven design and performance
- Exclusive chromex rod delivers excellent durability and life
- Exclusive QuikChange™ Pump System and QuikAccess Intake Valve eliminates down-time

## Honda Power

- 120 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

## High Efficiency Hydraulic Motor

- Faster, more responsive changeover
- High precision pressure control
- 100% O-ring sealed fittings prevents leaks
- Fewer moving parts for easier maintenance and longer life

## High Capacity Cooling System

- Innovative hydraulic reservoir design
- Runs more than 20% cooler than competition
- No special hydraulic fluid needed (ISO 46)
- Cooling fins on reservoir deflect heat away from unit
- Easy-to-use drain plug

## Convertible Power - Electric/Gas

- No-tools change out system is easy to use
- Self-tensioning belt for long life
- Quiet, indoor use not a problem
- 2.0 hp TEFC DC Motor delivers the power

## Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess



DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GH 130 Convertible Complete	253957	0.037	1.3 (4.9)	3300 (227)
GH 130 Convertible Complete w/Electric Motor Kit (non CSA)	253959	0.037	1.3 (4.9)	3300 (227)
GH 130 Convertible Complete w/CSA Electric Motor Kit	253980	0.037	1.3 (4.9)	3300 (227)

**NOTE: Electric Motor Max Tip is .031 and Max GPM (LPM) is 1.1 (4.2)**

All units include: New Contractor Gun, 1/4 in x 50 ft (9.5 mm x 15 m) BlueMax II Hose, RAC X 517 Tip and Guard, Whip Hose.



Convertability allows easy switching from gas to electric in seconds.



Exclusive crush-proof rock catcher provides unmatched pump protection. (patent pending)



Graco hydraulic power – a proven workhorse for long-life and reliability.

The GH 200 Convertible is the solution for medium to large jobs where proven hydraulic power is demanded to get the job done whether inside or outside.

### Exclusive MaxLife Endurance Pump

- Exclusive MaxLife rod and sleeve delivers unmatched durability and life – Graco’s best
- Exclusive ProConnect system allows quick change-out of pumps – no tools required
- QuikAccess intake valve to easily clean or clear debris

### Honda Power

- 160 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

### High Efficiency Hydraulic Motor

- Faster, more responsive changeover
- High precision pressure control
- 100% O-ring sealed fittings prevents leaks
- Fewer moving parts for easier maintenance and longer life

### High Capacity Cooling System

- Innovative hydraulic reservoir design
- Runs more than 20% cooler than competition
- No special hydraulic fluid needed (ISO 46)
- Cooling fins on reservoir deflect heat away from unit
- Easy-to-use drain plug

### Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won’t get stuck or collapse when dirty
- Filter removes with the cap for less mess

# GH 200 Convertible



DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GH 200 Convertible Complete	253962	0.047	2.15 (8.14)	3300 (227)
GH 200 Convertible Complete w/Electric Motor Kit (non CSA)	253963	0.047	2.15 (8.14)	3300 (227)
GH 200 Convertible Complete w/CSA Electric Motor Kit	253981	0.047	2.15 (8.14)	3300 (227)

**NOTE: Electric Motor Max Tip is .031 and Max GPM (LPM) is 1.1 (4.2)**  
 All units include: Silver Plus Airless Gun, 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Hose, RAC X 517 Tip and Guard, Whip Hose.



Convertability allows no-tool gas or electric power in seconds.



Exclusive crush-proof rock catcher provides unmatched pump protection. (patent pending)



Exclusive ProConnect System, no-tools pump removal and installation in seconds.



# GH 230 Convertible & GH 300



The GH 230 & 300 are two of the most powerful hydraulic sprayers for high production contractors who are spraying a wide range of materials including latex, elastomerics to block fillers on large commercial jobs.

## Exclusive MaxLife Endurance Pump

- Exclusive MaxLife rod and sleeve delivers unmatched durability and life – Graco's best
- Exclusive ProConnect system allows quick change-out of pumps – no tools required
- QuikAccess intake valve to easily clean or clear debris

## Honda Power

- Delivers maximum performance
- Contractor preferred engine with Oil Alert

## High Efficiency Hydraulic Motor

- Faster, more responsive changeover
- High precision pressure control
- 100% O-ring sealed fittings prevents leaks
- Fewer moving parts for easier maintenance and longer life

## High Capacity Cooling System

- Innovative hydraulic reservoir design
- Runs more than 20% cooler than competition
- No special hydraulic fluid needed (ISO 46)
- Cooling fins on reservoir deflect heat away from unit
- Easy-to-use drain plug

## Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GH 230 Convertible Complete	253965	0.053	2.35 (8.9)	3300 (227)
GH 230 Convertible Complete w/Electric Motor Kit (non CSA)	253966	0.053	2.35 (8.9)	3300 (227)
GH 230 Convertible Complete w/CSA Electric Motor Kit	253982	0.053	2.35 (8.9)	3300 (227)
GH 300 Complete	253968	0.057	3.0 (11.4)	3300 (227)

*NOTE: Electric Motor Max Tip is .031 and Max GPM (LPM) is 1.1 (4.2)*

*All units include: Silver Plus Gun, 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Hose, RAC X 517 Tip and Guard, Whip Hose.*



Convertability allows easy switching from gas to electric in seconds.



Exclusive crush-proof rock catcher provides unmatched pump protection. (patent pending)



Exclusive ProConnect System, no-tools pump removal and installation.






The industry's first and only no-tools pump removal and installation system. ProConnect allows you to remove and replace your pump in seconds without ANY tools, saving you time and money on the job.

Combine ProConnect with Graco's Endurance Advantage Program and you now have the ability to stay spraying, preventing costly downtime. No one else comes close! Experience the power of ProConnect today.

# GMAX II and GH ProConnect System



ProConnect system **CLOSED** with pump in.



ProConnect system **OPEN** with pump in.



ProConnect system **OPEN** without pump in.

**You can find the exclusive ProConnect System on these Graco sprayers!**



GH 200 Convertible



GH 230 Convertible



GH 300



GMAX II 3900



GMAX II 5900



GMAX II 7900

# GH 833

The gas hydraulic unit that can spray it all – the GH 833 “Big Rig”. The GH 833 is the answer for high production professional contractors who demand uninterrupted performance with the widest range of materials.



Bare Unit Shown



## Exclusive MaxLife Endurance Pump

- Proven design and performance
- Exclusive MaxLife rod and sleeve delivers unmatched durability and life – Graco’s best
- Exclusive QuikChange Pump System and QuikAccess Intake Valve eliminates down-time
- Only 16 cycles per gallon

## Honda Power

- 390 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

## Heavy Duty Graco Hydraulic System

- Faster, more responsive changeover
- O-ring sealed for fewer leaks
- High-precision pressure control
- No hydraulic reset button needed
- Durable hydraulic lines for long life

## Heavy Duty Cooling System

- Large 4-gallon hydraulic reservoir
- Large durable return line hydraulic filter extends life
- No special hydraulic fluid needed
- Proven cooler and blower system
- Easy-to-use drain plug

## Heavy Duty Frame

- Multi-function design converts to skid mount in seconds
- Enamel painted steel tubing - corrosion protection
- Easy-roll tubed pneumatic tires

## Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won’t get stuck or collapse when dirty
- Filter removes with the cap for less mess

## Additional Features

- Lockable pressure control knob
- Grounding wire for safety with solvent materials
- Huge 1.5 inch diameter siphon hose
- Huge 1 inch porting on displacement pump

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
GH 833 Bare (390 cc)	249318	0.065	4.0 (15.1)	4000 (276)
GH 833 Complete*	249617	0.065	4.0 (15.1)	4000 (276)
GH 833 OEM (Hydraulic Motor & Displacement pump only)	249767	0.065	4.0 (15.1)	4000 (276)
GH 833 Direct Immersion Kit	287843	0.065	4.0 (15.1)	4000 (276)

\*Complete units include: Silver Plus Gun, 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II HP 4000 psi (276 bar) Hose, RAC X 655 Tip and Guard, 1/4 in x 3 ft, 4000 psi (276 bar) Whip Hose.



Exclusive QuikChange Pump System and QuikAccess Intake Valve eliminates down-time.



Direct Immersion Kit allows ultimate flexibility with tough-to-spray materials.



5-gallon direct immersion for the heaviest, most difficult coatings.

# GH 833 Direct Immersion Kit

Only Graco offers the flexibility and reliability needed to complete the toughest jobs with the widest range of materials.

When the temperature drops or when materials are more difficult to spray,

turn to the GH 833

Direct Immersion Kit.

In a matter of minutes you can convert your GH 833 into a direct immersion workhorse unit. Now you can spray it all – only with Graco.



GH 833 Direct Immersion Kit  
Part #287843



## Application Chart

GRACO SPRAYER	Latex Paints	Primers	Block Fillers	Enamel	Electromerics	Acrylic: Water / Solvent	Epoxy: Finish / Solvent	Polyester	Coal/Tar	Polyurethane	Sealers	Lacquers	Varnishes	Bridge Paints (No Zinc Base)	Asphalt Emulsion: fibered / non fibered	Mastics - Adhesive type	Waterproofing / Above and Below grade	Contact Cement	Asphalt cut-back: fibered / non fibered	Texture: Smooth & Fine	Burntastics	MonoPump	Aluminum Emulsion: fibered / non fibered	Elastomeric Acrylic Emulsion Primer
GMAX II 7900 RR	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GH 733	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GH 833	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GH 1015	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GH 2075	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GH 2560	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GH 3640	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GH 5030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Sprayable Coatings**

- Architectural
- Protective
- Industrial
- Other: Roofing

\*Note: Materials and temperatures may dictate the hose length you can use.

# GH 733 & Roof Rigs



Bare Unit Shown

DESCRIPTION	PART NUMBER	MAX GPM (LPM)	MAX PSI (BAR)
GH 733 Bare	231733	3.0 (11.4)	3500 (241)
GH 733 Complete*	230975	3.0 (11.4)	3500 (241)
GH 1015 Bare Roof Rig	965165	15.0 (56.7)	1000 (70)
GH 2075 Bare Roof Rig	965171	7.5 (28.4)	1800 (124)
GH 2560 Bare Roof Rig	965168	6.0 (22.7)	2400 (166)
GH 3640 Bare Roof Rig	687327	3.8 (14.4)	3600 (245)
GH 5030 Bare Roof Rig	687100	2.8 (10.5)	4900 (337)

\*Complete units include: Silver Plus Gun, 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II HP 4000 psi (276 bar) Hose, RAC X 517 Tip and Guard, 1/4 in x 3 ft, 4000 psi (276 bar) Whip Hose.



Graco Hydraulic System – a proven workhorse for long-life and reliability.



6 interchangeable pumps allows maximum versatility for all applications.



No job is too big for the GH 733 Roof Rig.

For more than 20 years contractors have turned to the GH 733 & Roof Rigs when they need to spray some of the most aggressive materials found today.

The GH 733 & Roof Rigs are simply some of the most powerful and versatile units in the market.

## Exclusive Xtreme™ Pump

- QuikChange pump section
- Time tested durability and performance
- Long life XtremeSeals™ and leather packings
- Heavy duty piston rod for long life
- QuikAccess intake valve removes easily for fast repairs

## Kohler® Power

- Reliable electric start system
- 624 cc to deliver maximum power
- Air-cooled twin cylinder keeps heat away
- Time-tested power source

## Heavy Duty Graco Hydraulic System

- Faster, more responsive changeover
- O-ring sealed for fewer leaks
- Motor reset button to correct stalling
- Easy-to-service design
- Durable large hydraulic lines for long life

## Heavy Duty Cooling System

- Large 5-gallon hydraulic reservoir
- Large return line hydraulic filter
- No special hydraulic fluid needed
- Proven cooler and blower system
- Easy-to-use hydraulic drain plug

## Heavy Duty Frame

- Field proven design withstands abuse
- 2-inch diameter steel tubing
- Tall, easy to roll transport tires
- Ergonomic design is easy to service

## Additional Features

- Lockable pressure control knob
- Grounding wire for safety with solvent materials
- Durable bypass valve
- Adjustable intake ball travel system and interchangeable displacement pumps for a wide variety of spray applications





Purchase any Graco Gas Sprayer and you can purchase an Endurance Pump for up to 80% off list price. Keep a spare pump on hand to save yourself time and money on every job.

If you'd rather repack your own pump, we'll let you choose a free Repair Kit instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer.



Endurance Pump

## Warranty

### \* Lifetime Electric Motor Warranty

If the Motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

### Lifetime Drive Warranty

If the Drive Train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

### \* 3-Year Warranty

Coverage against defects in materials and workmanship on the entire sprayer.

### \* 30-Day "Just Add Paint" Replacement Guarantee

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an extra cost.

### \* Downtime Eliminator Program

Part needed for a warranty repair not in stock at your distributor?

Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CST.



ProConnect no-tools pump removal and installation system makes Endurance Pump swap out fast and easy.



### Downtime Costs You Money

- Inconvenient Turnaround Time
- Unplanned and Expensive Rental Expenses
- Inconvenient and Costly Service Center Trips
- Lost Hours and Dollars in Idle Manpower

### Our Commitment To Productivity

- Exclusive ProConnect System
- Exclusive QuikChange Lower
- Quick Replacement
- No Special Tools Required
- You are Up and Spraying in Minutes, Not Days

\* North American only. See local Graco distributors for Country specifics.

# Accessories

For GMAX II & GH 130 - 300

## RAC X TIPS AND GUARDS



LTX-XXX

RAC<sup>®</sup> X SwitchTips, Blue (Odd #)

It has the longest lasting fan pattern on the market. Max Working Pressure: 4050 psi (279 bar, 27.9 MPa)

WR-XXXX

RAC X WideRAC<sup>®</sup> SwitchTips, Blue (Odd #)

24 in (610 mm) spray fan for maximum coverage. Max Working Pressure: 4050 psi (279 bar, 27.9 MPa)

246215

RAC X HandTite Guard — 7/8 in (22 mm) thread size, standard Graco thread

246437

RAC X HandTite Guard — 11/16 in (17 mm) thread size, older style Graco Pole Guns, fits competitive guns with 11/16 in threads

## RAC 5 TIPS AND GUARDS



286-XXX

RAC 5 SwitchTips, Black (Odd #)

Ideal for residential, commercial and industrial jobs. MWP: 4050 psi (279 bar, 27.9 MPa)

243161

RAC 5 HandTite Guard — 7/8 in (22 mm) thread size, standard Graco thread

243263

RAC 5 HandTite Guard — 11/16 in (17 mm) thread size, older style Graco Pole Guns, fits competitive guns with 11/16 in threads

## NEW CONTRACTOR & FTX GUNS



288420

Maximum Working Pressure: 3600 psi (248 bar, 24.8 MPa)

Contractor Gun (2-finger) with RAC X 517 SwitchTip and Guard

288425

Contractor Gun (4-finger) with RAC X 517 SwitchTip and Guard

288421

Contractor Gun (2-finger) with RAC 5 517 SwitchTip

288430

FTx<sup>™</sup> Gun (4-finger) with RAC X 515 SwitchTip and Guard

288429

FTx Gun (2-finger) with RAC X 515 SwitchTip and Guard

288431

FTx Gun (4-finger) with RAC 5 515 SwitchTip

288488

Gun Repair Kit

## SILVER PLUS GUN



246240

Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)

Silver Plus Gun (2-finger) with RAC X 517 SwitchTip and Guard

243283

Silver Plus Gun (2-finger) with RAC 5 517 SwitchTip and Guard

235460

Silver Plus Gun (2-finger) with Flat Tip Guard

235461

Silver Plus Gun (4-finger) with Flat Tip Guard

235462

Silver Plus Gun Fine Finish (2-finger) with Flat Tip Guard

235474

Repair Kit

## HEAVY DUTY GUN



241705

Maximum Working Pressure: 4000 psi (276 bar, 27.6 MPa) — Fluid Orifice Diameter: 0.125 in (3.2 mm)

Heavy Duty Gun with RAC X 531 Spray Tip and Tip Guard

237260

Ideal for high solids, mastics, protective coatings and smooth textures

Repair Kit

# Accessories

## For GMAX II & GH 130 - 300

### GUN HOSE KITS



288489  
288490  
288493  
287095  
287041  
287042

Includes the following unless otherwise noted: Airless Gun, RAC X 517 SwitchTip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) 3300 psi (227 bar) BlueMax™ II Airless Hose and 3 ft (0.9 m) Whip Hose

Contractor Gun Hose Kit  
Contractor Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15 m) Airless Hose  
FTx Gun Hose Kit — 515 Tip  
Flex Plus Gun Hose Kit  
Silver Plus Gun Hose Kit  
Silver Plus Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15 m) Airless Hose

### BLUEMAX II AIRLESS HOSE



238358  
238959  
238359  
240793  
240794  
240796  
240797

*Feel the Difference in flexibility!*

3/16 in x 3 ft (4.8 mm x 0.9 m) BlueMax II 3300 psi Airless Whip Hose  
3/16 in x 4.5 ft (4.8 mm x 1.4 m) BlueMax II 3300 psi Airless Whip Hose  
3/16 in x 6 ft (4.8 mm x 1.8 m) BlueMax II 3300 psi Airless Whip Hose  
1/4 in x 25 ft (6.4 mm x 7.5 m) BlueMax II 3300 psi Airless Hose  
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi Airless Hose  
3/8 in x 25 ft (9.5 mm x 7.5 m) BlueMax II 3300 psi Airless Hose  
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi Airless Hose

### BLUEMAX II HIGH PRESSURE HOSE



277249  
277250  
277351  
277251  
277253

**4000 psi WPR**

1/4 in x 3 ft (6.4 mm x 0.9 m) MxF Whip Hose  
1/4 in x 50 ft (6.4 mm x 15 m) FBE  
3/8 in x 3 ft (9.5 mm x 0.9 m) MxF Whip Hose  
3/8 in x 50 ft (9.5 mm x 15 m) FBE  
1/2 in x 50 ft (13 mm x 15 m) FBE

### POLE GUNS



287023  
287024

**MWP: 3600 psi (248 bar, 24.8 MPa)**

3 ft (.9 m) Pole Gun with RAC X SwitchTip 517 System  
6 ft (1.8 m) Pole Gun with RAC X SwitchTip 517 System

### EXTENSIONS



287019  
287020  
287021  
287022

**RAC X Tip Extensions - Maximum WPR: 4050 psi, (280 bar, 28.0 MPa)**

Includes: RAC X HandTite Guard Standard with 7/8 in (22 mm) Gun Nut and OneSeal

10 in (25 cm)  
15 in (38 cm)  
20 in (50 cm)  
30 in (75 cm)

### KITS

287541  
245249  
208259  
245508  
245250

55 gallon Siphon Kit, 1.25 in diameter x 6 ft Siphon Hose, for GMAX II 3900/5900/7900  
55 gallon Siphon Kit, 1.25 in diameter x 6 ft Siphon Hose, for GMax 7900, HydraMax 225 - old style  
55 gallon Siphon Kit, 1.25 in diameter x 6 ft Siphon Hose, for 3900/5900 - old style GMax  
30 gallon Siphon Kit, 1.25 in diameter x 6 ft Siphon Hose, for 3900/5900 - old style GMax  
55 gallon Siphon Kit, 1.25 in diameter x 6 ft Siphon Hose, for HydraMax 300/350

# Accessories

For GH 733 & GH 833

## AIRLESS GUNS & GUN HOSE KITS



- 246240 Silver Plus Gun (2-Finger) with RAC X 517 SwitchTip and Guard
- 241705 Heavy Duty Gun with RAC X 531 SwitchTip and Guard
- 224472 Mastic Gun 5000 psi (345 bar) with 36 in (.9 m) extension
- 287850 Silver Plus Gun Hose Kit with RAC X SwitchTip, 3/8 in (9.5 mm) x 50 ft (15 m) 3300 psi (227 bar) Hose
- 287851 Flex Plus Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in (9.5 mm) x 50 ft (15 m) 4000 psi (276 bar) Hose and Whip Hose
- 287852 Heavy Duty Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in (9.5 mm) x 50 ft (15 m) 4000 psi (276 bar) Hose
- 189018 Gun Swivel rated to 5600 psi (386 bar, 38.6 MPa)

## RAC X TIPS AND GUARDS



- LTXxxx RAC X SwitchTips, Blue (Odd #)  
Ideal for residential, commercial and industrial jobs. MWP: 4050 psi (280 bar, 28.0 MPa)
- 246215 RAC X HandTite™ Tip Guard — 7/8 in (22 mm) thread size
- 246437 RAC X HandTite Tip Guard — 11/16 in (17.5 mm) thread size

## RAC 5 TIPS AND GUARDS



- 286xxx RAC 5 SwitchTips, Black (Odd #)  
Ideal for residential, commercial and industrial jobs. MWP: 4050 psi (279 bar, 27.9 MPa)
- 243161 RAC 5 HandTite Guard — 7/8 in (22 mm) thread size
- 243263 RAC 5 HandTite Guard — 11/16 in (17.5 mm) thread size

## BLUEMAX II HIGH PRESSURE HOSE



- Synthetic-braided, 4000 psi (276 bar, 27.6 MPa) maximum working pressure rated at 180° F (82.2° C)
- 277249 1/4 in x 3 ft (6.4 mm x 0.9 m) MxF Whip Hose
- 277250 1/4 in x 50 ft (6.4 mm x 15 m) FBE
- 277351 3/8 in x 3 ft (9.5 mm x 0.9 m) MxF Whip Hose
- 277253 3/8 in x 50 ft (9.5 mm x 15 m) FBE
- 277251 1/2 in x 50 ft (13 mm x 15 m) FBE

# Accessories

For GH 733 & GH 833

## GH 733 & GH 833 KITS

287843	Direct Immersion Kit — includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
249767	OEM Kit — includes: Hydraulic Motor/Head, Displacement Pump
287916	Non-Solvent Siphon Kit, 1.5 in diameter x 6.5 ft Siphon Hose
287936	Non-Solvent Siphon Kit, 2 in diameter x 6.5 ft Siphon Hose
287915	Solvent Resistant Siphon Kit, 1.5 in diameter x 6.5 ft Siphon Hose
948727	2 in (50 mm) Siphon Kit adapts to any GH 733, Bulldog® or King® Pump air or gas
948740	Lift Kit modifies GH 733 with version code A, B or C to accept GH 1015, GH 2075 or GH 2560 pump lowers
245244	Lift Kit modifies GH 733 with version code A, B or C to accept Xtreme pump lower kits (GH 733, GH 3640 and GH 5030 pump kits)

## FITTINGS



156971	1/4 in npt x 1/4 in npt (6.4 mm x 6.4 mm) – MBE Maximum Working Pressure: 7500 psi (517 bar, 51.7 MPa)
156849	3/8 in npt x 3/8 in npt (9.5 mm x 9.5 mm) – MBE Maximum Working Pressure: 6000 psi (420 bar, 42.0 MPa)
158491	1/2 in npt x 1/2 in npt (13 mm x 13 mm) – MBE Maximum Working Pressure: 6700 psi (462 bar, 46.2 MPa)
155865	1/2 in npt x 1/2 in npsm (13 mm x 13 mm) – FBE Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)
157350	1/4 in npt x 3/8 in npt (6.4 mm x 9.5 mm) – MBE Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)
159239	1/2 in npt x 3/8 in npt (13 mm x 9.5 mm) – MBE Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)
15H335	1.0 in npt x 3/8 in npt (25.4 mm x 9.5 mm) – MBE Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)

## UNIONS



156823	1/4 in npt(m) x 1/4 in npsm(f) (6.4 mm x 6.4 mm) Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)
155665	3/8 in npt(m) x 3/8 in npsm(f) (9.5 mm x 9.5 mm) Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)
157705	1/4 in npt(m) x 3/8 in npsm(f) (6.4 mm x 9.5 mm) Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)
155570	1/4 in npt(f) x 1/4 in npsm(f) (6.4 mm x 9.5 mm) Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)
159153	3/8 in npt(f) x 1/4 in npsm(f) (9.5 mm x 6.4 mm) Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)

# Gas Product Specifications



**GMAX 3400**

- Max Tip:** .027  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** .75/2.8  
**Engine:** 120 cc Honda  
**Weight lbs/kg:** 89/40.4  
**Gun Support:**  
 (1) Gun with .027  
**Gun:**  
 • Contractor Airless Gun  
**Hose:**  
 • 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar)  
**Tip:**  
 • RAC X 517 Tip and Guard  
**Inlet Strainer:**  
 • Part #246385  
**Pump Filter:**  
 • Includes Easy Out Pump Filter  
**Easy Out Filter Screens:**  
 • 30 Mesh - 244071  
 • 60 Mesh - 244067  
 • 100 Mesh - 244068  
 • 200 Mesh - 244069  
**Sprayer Dimensions:**  
 • 31 (79) x 22.5 (58) x 31.5 (80)  
**Wear Parts:**  
 • Packing Kit - 244194  
 • Chromex Rod - 249125  
 • Cylinder - 243176  
 • Intake Valve - 246429  
 • Piston Valve - 239937  
**Complete Pump Lower:**  
 • Part #246428  
**Manuals:**  
 • Instruction - 310802  
 • Repair - 310813



**GMAX II 3900**

- Max Tip:** .036  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 1.25/4.7  
**Engine:** 120 cc Honda  
**Weight lbs/kg:** 109/50  
**Gun Support:**  
 (1) Gun with .036  
 (2) Guns with .023  
**Gun:**  
 • Contractor Airless Gun  
**Hose:**  
 • 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar)  
**Tip:**  
 • RAC X 517 Tip and Guard  
**Inlet Strainer:**  
 • Part #189920  
**Pump Filter:**  
 • Includes Easy Out Pump Filter  
**Easy Out Filter Screens:**  
 • 30 Mesh - 244071  
 • 60 Mesh - 244067  
 • 100 Mesh - 244068  
 • 200 Mesh - 244069  
**Sprayer Dimensions:**  
 • 32 (81) x 22.25 (56.5) x 31.5 (80)  
**Wear Parts:**  
 • Packing Kit - 248212  
 • Chromex Rod - 248206  
 • Cylinder - 287551  
 • Sleeve - 248209  
 • Piston Valve - 239937  
 • Intake Valve - 246429  
 • 30/55 Gallon Siphon Kit - 287541  
**Complete Pump Lower:**  
 • Part #287512  
**Manuals:**  
 • Instruction - 310892  
 • Repair - 310893



**GMAX II 5900**

- Max Tip:** .043  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 1.6/6.0  
**Engine:** 160 cc Honda  
**Weight lbs/kg:** 139/64  
**Gun Support:**  
 (1) Gun with .043  
 (2) Guns with .029  
 (3) Guns with .023  
**Gun:**  
 • Contractor Airless Gun  
**Hose:**  
 • 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar)  
**Tip:**  
 • RAC X 517 Tip and Guard  
**Inlet Strainer:**  
 • Part #189920  
**Pump Filter:**  
 • Includes Easy Out Pump Filter  
**Easy Out Filter Screens:**  
 • 30 Mesh - 244071  
 • 60 Mesh - 244067  
 • 100 Mesh - 244068  
 • 200 Mesh - 244069  
**Sprayer Dimensions:**  
 • 32.25 (81.9) x 24.5 (62) x 32.25 (82)  
**Wear Parts:**  
 • Packing Kit - 248213  
 • Chromex Rod - 248207  
 • Cylinder - 287552  
 • Sleeve - 248210  
 • Piston Valve - 240150  
 • Intake Valve - 244199  
 • 30/55 Gallon Siphon Kit - 287541  
**Complete Pump Lower:**  
 • Part #287513  
 • 5900HD #287579  
**Manuals:**  
 • Instruction - 310892  
 • Repair - 310893



**GMAX II 5900 Convertible**

- Max Tip:** .043  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 1.6/6.0  
**Engine:** 160 cc Honda  
**Weight lbs/kg:** 146/67  
**Electric Max Tip:** .031  
**Electric Max Gpm/Lpm:** 1.1/4.2  
**Gun Support: (Gas)**  
 (1) Gun with .043  
 (2) Guns with .029  
 (3) Guns with .023  
**Gun:**  
 • Contractor Airless Gun  
**Gun Support: (Electric)**  
 (1) Gun with .031  
 (2) Guns with .017  
**Hose:**  
 • 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar)  
**Tip:**  
 • RAC X 517 Tip and Guard  
**Inlet Strainer:**  
 • Part #189920  
**Pump Filter:**  
 • Includes Easy Out Pump Filter  
**Easy Out Filter Screens:**  
 • 30 Mesh - 244071  
 • 60 Mesh - 244067  
 • 100 Mesh - 244068  
 • 200 Mesh - 244069  
**Sprayer Dimensions:**  
 • 32.25 (81.9) x 24.5 (62) x 32.25 (82)  
**Wear Parts:**  
 • Packing Kit - 248213  
 • Chromex Rod - 248207  
 • Cylinder - 287552  
 • Sleeve - 248210  
 • Intake Valve - 244199  
 • Piston Valve - 240150  
 • 30/55 Gallon Siphon Kit - 287541  
**Complete Pump Lower:**  
 • Part #287513  
**Manuals:**  
 • Instruction - 310892  
 • Repair - 311046



**GMAX II 7900**

- Max Tip:** .048  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 2.2/8.3  
**Engine:** 200 cc Honda  
**Weight lbs/kg:** 146/67  
**Gun Support:**  
 (1) Gun with .048  
 (2) Guns with .035  
 (3) Guns with .027  
 (4) Guns with .023  
**Gun:**  
 • Contractor Airless Gun  
**Hose:**  
 • 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar)  
**Tip:**  
 • RAC X 517 Tip and Guard  
**Inlet Strainer:**  
 • Part #189920  
**Pump Filter:**  
 • Includes Easy Out Pump Filter  
**Easy Out Filter Screens:**  
 • 30 Mesh - 244071  
 • 60 Mesh - 244067  
 • 100 Mesh - 244068  
 • 200 Mesh - 244069  
**Sprayer Dimensions:**  
 • 33 (83.8) x 24.5 (62) x 32.25 (82)  
**Wear Parts:**  
 • Packing Kit - 249123  
 • MaxLife Rod - 249119  
 • Cylinder - 249139  
 • MaxLife Sleeve - 249121  
 • Intake Valve - 240918  
 • Piston Valve - 249177  
 • 30/55 Gallon Siphon Kit - 287541  
**Complete Pump Lower:**  
 • Part #249122  
**Manuals:**  
 • Instruction - 310892  
 • Repair - 310893



**IronMan 500G**

- Max Tip:** .043  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 1.6/6.0  
**Engine:** 200 cc Honda  
**Weight lbs/kg:** 168/76  
**Gun Support: (Gas)**  
 (1) Gun with .043  
 (2) Guns with .029  
 (3) Guns with .023  
**Gun:**  
 • Silver Plus Airless Gun  
**Hose:**  
 • 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar)  
 • 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar)  
**Tip:**  
 • RAC X 527 Tip and Guard  
 • RAC X WideRAC 1231  
**Inlet Strainer:**  
 • Part #257033  
**Pump Filter:**  
 • Includes Easy Out Pump Filter  
**Easy Out Filter Screens:**  
 • 30 Mesh - 244071  
 • 60 Mesh - 244067  
 • 100 Mesh - 244068  
 • 200 Mesh - 244069  
**Sprayer Dimensions:**  
 • 33 (84) x 25 (63) x 38.5 (98)  
**Wear Parts:**  
 • Packing Kit - 248213  
 • Chromex Rod - 249028  
 • Cylinder - 196754  
 • Sleeve - 257031  
 • Intake Valve - 196753  
 • Piston Valve - 240150  
 • 30/55 Gallon Siphon Kit - 257353  
**Complete Pump Lower:**  
 • Part #257146  
**Manuals:**  
 • Instruction/Repair - 313313

# Gas Product Specifications



**GH 130 Convertible**

**Max Tip:** .037  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 1.3/4.9  
**Engine:** 120 cc Honda  
**Weight lbs/kg:** 150/68  
**Electric Max Tip:** .031  
**Electric Max Gpm/Lpm:** 1.1/4.2  
**Gun Support:**

(1) Gun with .037

**Electric:**(1) Gun with .031

**Gun:**

- Contractor Airless Gun

**Hose:**

- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar)

**Tip:**

- RAC X 517 Tip and Guard

**Crush Proof Strainer:**

- Part #288472

**Pump Filter:**

- Includes Easy Out Pump Filter

**Easy Out Filter Screens:**

- 30 Mesh - 244071
- 60 Mesh - 244067
- 100 Mesh - 244068
- 200 Mesh - 244069

**Sprayer Dimensions:**

- 41 (104.1) x 24 (61) x 30 (76.2)

**Wear Parts:**

- Packing Kit - 288471
- Chromex Rod - 288479
- Cylinder - 243347
- Chromex Sleeve - 248210
- Intake Valve - 244199
  - Piston Valve - 240150
  - 30/55 Gallon Siphon Kit - 287541

**Complete Pump Lower:**

- Part #288466

**Manuals:**

- Instruction - 311791
- Repair - 311797



**GH 200 Convertible**

**Max Tip:** .047  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 2.15/8.14  
**Engine:** 160 cc Honda  
**Weight lbs/kg:** 160/72  
**Electric Max Tip:** .031  
**Electric Max Gpm/Lpm:** 1.1/4.2  
**Gun Support:**

(1) Gun with .047

(2) Guns with .034  
 (3) Guns with .027  
 (4) Guns with .023

**Electric:**

(1) Gun with .031  
 (2) Guns with .017

**Gun:**

- Silver Plus Airless Gun

**Hose:**

- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar)

**Tip:**

- RAC X 517 Tip and Guard

**Crush Proof Strainer:**

- Part #288472

**Pump Filter:**

- Includes Easy Out Pump Filter

**Easy Out Filter Screens:**

- 30 Mesh - 244071
- 60 Mesh - 244067
- 100 Mesh - 244068
- 200 Mesh - 244069

**Sprayer Dimensions:**

- 41 (104.1) x 24 (61) x 30 (76.2)

**Wear Parts:**

- Packing Kit - 287813
- MaxLife Rod - 288469
- Cylinder - 245413
- MaxLife Sleeve - 249121
- Intake Valve - 240918
- Piston Valve - 249177
- 30/55 Gallon Siphon Kit - 287541

**Complete Pump Lower:**

- Part #288467

**Manuals:**

- Instruction - 311791
- Repair - 311797



**GH 230 Convertible**

**Max Tip:** .053  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 2.35/8.9  
**Engine:** 200 cc Honda  
**Weight lbs/kg:** 168/75.6  
**Gun Support:**

- (1) Gun with .053
- (2) Guns with .038
- (3) Guns with .032
- (4) Guns with .028
- (5) Guns with .024

**Electric:**

- (1) Gun with .031
- (2) Guns with .017

**Gun:**

- Silver Plus Airless Gun

**Hose:**

- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar)

**Tip:**

- RAC X 517 Tip and Guard

**Crush Proof Strainer:**

- Part #288472

**Pump Filter:**

- Includes Easy Out Pump Filter

**Easy Out Filter Screens:**

- 30 Mesh - 244071
- 60 Mesh - 244067
- 100 Mesh - 244068
- 200 Mesh - 244069

**Sprayer Dimensions:**

- 48 (121.9) x 24 (61) x 32 (81.3)

**Wear Parts:**

- Packing Kit - 287813
- MaxLife Rod - 288470
- Cylinder - 249532
- MaxLife Sleeve - 287817
- Intake Valve - 240918
- Piston Valve - 249177
- 30/55 Gallon Siphon Kit - 287541

**Complete Pump Lower:**

- Part #288468

**Manuals:**

- Instruction - 311791
- Repair - 311797



**GH 300**

**Max Tip:** .057  
**Max psi/bar:** 3300/227  
**Max gpm/lpm:** 3.0/11.4  
**Engine:** 270 cc Honda  
**Weight lbs/kg:** 195/87.8  
**Gun Support:**

- (1) Gun with .057
- (2) Guns with .039
- (3) Guns with .033
- (4) Guns with .029
- (5) Guns with .025
- (6) Guns with .023

**Gun:**

- Silver Plus Airless Gun

**Hose:**

- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar)

**Tip:**

- RAC X 517 Tip and Guard

**Crush Proof Strainer:**

- Part #288472

**Pump Filter:**

- Includes Easy Out Pump Filter

**Easy Out Filter Screens:**

- 30 Mesh - 244071
- 60 Mesh - 244067
- 100 Mesh - 244068
- 200 Mesh - 244069

**Sprayer Dimensions:**

- 48 (121.9) x 24 (61) x 32 (81.3)

**Wear Parts:**

- Packing Kit - 287813
- MaxLife Rod - 288470
- Cylinder - 249532
- MaxLife Sleeve - 287817
- Intake Valve - 240918
- Piston Valve - 249177
- 30/55 Gallon Siphon Kit - 287541

**Complete Pump Lower:**

- Part #248468

**Manuals:**

- Instruction - 311791
- Repair - 311797



**GH 733 & Roof Rigs**

**Max Tip:** .060  
**Max psi/bar:** 3500/240  
**Max gpm/lpm:** 3.0/11.4  
**Engine:** 624 cc Kohler  
**Weight lbs/kg:** 480/217  
**Gun:**

- Silver Plus Airless Gun

**Hose:**

- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II HP 4000 psi (276 bar)

**Tip:**

- RAC X 517 Tip and Guard

**Inlet Strainer:**

- Part #237840

**Sprayer Dimensions:**

- 48.5 (123.1) x 29 (73.6) x 50.5 (128.3)

**Wear Parts:**

- Packing Kit - 244853
- Rod - 15J096
- Cylinder - 197318
- Intake Valve - 197304
- Piston Valve - 197312

**Complete Pump Lower:**

- Part #L250C1

**Manuals:**

- Instruction - 307616
- Repair - 307616

**Optional Roof Rigs**

- GH 1015 (965165)
- 1000 psi/15.0 gpm
- GH 2075 (965171)
- 1800 psi/7.5 gpm
- GH 2560 (965168)
- 2400 psi/6.0 gpm
- GH 3640 (687327)
- 3600 psi/3.8 gpm
- GH 5030 (687100)
- 4900 psi/2.8 gpm



**GH 833 Big Rig**

**Max Tip:** .065  
**Max psi/bar:** 4000/276  
**Max gpm/lpm:** 4.0/15.1  
**Engine:** 390 cc Honda  
**Weight lbs/kg:** 350/158  
**Gun Support:**

- (1) Gun with .065
- (2) Guns with .046
- (3) Guns with .037
- (4) Guns with .032
- (5) Guns with .029
- (6) Guns with .026

**Gun:**

- Silver Plus Airless Gun

**Hose:**

- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II HP 4000 psi (276 bar)

**Tip:**

- RAC X 655 Tip and Guard

**Inlet Strainer:**

- Part #237840

**Pump Filter:**

- Includes Easy Out Pump Filter

**Easy Out Filter Screens:**

- 30 Mesh - 244071
- 60 Mesh - 244067
- 100 Mesh - 244068
- 200 Mesh - 244069

**Sprayer Dimensions:**

- 40 (101.6) x 27 (68.5) x 47 (119.3)

**Wear Parts:**

- Packing Kit - 287835
- MaxLife Rod - 287832
- Cylinder - 287836
- MaxLife Sleeve - 287833
- Intake Valve - 287838
- Piston Valve - 287837

**Complete Pump Lower:**

- Solvent Resistant Siphon Kit - 287915

**Complete Pump Lower:**

- Part #287834

**Manuals:**

- Instruction - 311279
- Repair - 311280



## ABOUT GRACO

### PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

## GRACO LOCATIONS

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612-623-6000  
Fax: 612-623-6777

### AMERICAS

#### MINNESOTA

Worldwide Headquarters  
Graco Inc.  
88-11th Avenue N.E.  
Minneapolis, MN 55413

### EUROPE

#### BELGIUM

European Headquarters  
Graco N.V.  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
3630 Maasmechelen,  
Belgium  
Tel: 32 89 770 700  
Fax: 32 89 770 777

### ASIA PACIFIC

#### AUSTRALIA

Graco Australia Pty Ltd  
Suite 17 2 Enterprise Drive  
Bundoora Victoria 3083  
Australia  
Tel: 61 3 9467 8558  
Fax: 61 3 9467 8559

#### CHINA

Graco Hong Kong Ltd.  
Shanghai Representative Office  
Room 118 1st Floor  
No.2 Xin Yuan Building  
No.509 Cao Bao Road  
Shanghai, P.R. China 200233  
Tel: 86 21 649 50088  
Fax: 86 21 649 50077

### INDIA

Graco Hong Kong Ltd.  
India Liaison Office  
Room 103, Level 4, Augusta Point  
Golf Course Road  
Gurgaon, Haryana, India 122001  
Tel: +91 124 435 4208  
Fax: +91 124 435 4001

### JAPAN

Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81 45 593 7300  
Fax: 81 45 593 7301

### KOREA

Graco Korea Inc.  
Choheung Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-Si, Gyunggi-Do,  
Korea 431-060  
Tel: 82 31 476 9400  
Fax: 82 31 476 9801

## SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

**800-690-2894** or visit us at [www.graco.com](http://www.graco.com).

Graco Inc. is registered to I.S. EN ISO 9001

North America  
Customer Service  
800-690-2894  
Fax 800-334-6955