

# CRIMPFOX-SC 1,5

Order No.: 1212048




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1212048>

Crimping pliers, for non-insulated slip-on sleeves 2.8 and 4.8 mm, 0.1 - 1.5 mm<sup>2</sup>, B crimp



## Commercial data

GTIN (EAN)	 4 046356 453837
sales group	C101
Pack	1 pcs.
Customs tariff	82032000
Catalog page information	Page 276 (CL2-2011)

## Product notes

WEEE/RoHS-compliant since:  
09/25/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

### General

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm

Weight	350 g
Die station	Crimping position 1
Min. cross section	0.1 mm <sup>2</sup>
Max. cross section	0.5 mm <sup>2</sup>
AWG min	26
AWG max	22
Die station	Crimping position 2
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	1 mm <sup>2</sup>
AWG min	22
AWG max	18
Die station	Crimping position 3
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>
AWG min	18
AWG max	16
Die station	Crimping position 4
	Crimping position 5
Compression	B crimp
Type of contact	Slip-on sleeve

### Certificates / Approvals



Certification GOST


### Accessories

Item	Designation	Description
<b>Tools</b>		
1212049	CRIMPFOX-SC 1,5/DIE	Spare die for CRIMPFOX-SC 1,5
1212036	CRIMPFOX/ SPR-3	Spare recuperating spring

**Diagrams/Drawings**

Product drawing

---



CRIMPFOX-SC 1,5 Order No.: 1212048

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1212048>

---

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;