

# SACC-E-M12MS-8CON-M12 PSCUP


Order No.: 1436440



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1436440>

Sensor/actuator flush-type connector, socket, 8-pos., M12, A-coded, front/screw mounting with M12 thread, with solder cups, plastic version



Commercial data	
GTIN (EAN)	 4 046356 438391
sales group	D125
Pack	20 pcs.
Customs tariff	85366990
Catalog page information	Page 36 (PC-2011)

### Product notes

WEEE/RoHS-compliant since:  
07/30/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.


## Technical data

General data	
Ambient temperature (operation)	-25 °C ... 85 °C
General characteristics	
Material	Zinc die-cast (nickel-plated)

Sealing material	FKM
Mounting type	M12 x 1

**Diagrams/Drawings**

Dimensioned drawing



Housing cutout for M12 fastening thread, mounting panel with feed-through hole (alternative with surface as protection against rotation)

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;