


ZFKDSA 1,5-7,62

Order No.: 1706727

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1706727>

PC terminal block, Nominal current: 16 A, Nom. voltage: 320 V, Pitch:
7.62 mm, Number of positions: 1, Connection method: Spring-cage
connection, Mounting: Soldering, Conductor/PCB connection direction:
45 °, Color: green

Commercial data	
GTIN (EAN)	
sales group	E063
Pack	50 pcs.
Customs tariff	85369010
Catalog page information	Page 44 (CC-2005)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Certificates / Approvals



Certification

CCA, CSA, CUL, KEMA, UL

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;