


## GKDS/E-LOE GN

Order No.: 1709119

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1709119>

PC terminal block, Nominal current: 24 A, Nom. voltage: 630 V,  
Pitch: 7.5 mm, Number of positions: 1, Connection method: Screw  
connection, Mounting: Soldering, Conductor/PCB connection direction:  
0 °, Color: green, The article can be aligned to create different nos. of  
positions!

### Commercial data

GTIN (EAN)	 4 017918 023621
sales group	E051
Pack	50 pcs.
Customs tariff	85369010

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



[http://  
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)  
Please note that the data given  
here has been taken from the  
online catalog. For comprehensive  
information and data, please refer  
to the user documentation. The  
General Terms and Conditions of  
Use apply to Internet downloads.

### Certificates / Approvals



Certification

CCA, CSA, SEV, UL

<b>Accessories</b>		
Item	Designation	Description
<b>Assembly</b>		
1701793	TP-KDS/GKDS	PCB terminal block
<b>Bridges</b>		
0801157	EB 2- BK 4	Insertion bridge, 2-pos., for strip terminal block, BK 4
0801157	EB 2- BK 4	Insertion bridge, 2-pos., for strip terminal block, BK 4
0801144	EB 3- BK 4	Insertion bridge, 3-pos., for strip terminal block, BK 4
0801144	EB 3- BK 4	Insertion bridge, 3-pos., for strip terminal block, BK 4
0801131	EB 10- BK 4	Insertion bridge, 10-pos., for strip terminal block, BK 4
0801131	EB 10- BK 4	Insertion bridge, 10-pos., for strip terminal block, BK 4
<b>General</b>		
1709054	GRZ/E 2,5	
<b>Marking</b>		
1400052	BNB-ZB 7,5,LGS:FORTL.ZAHLEN	BNB Zack strip, printed horizontally: 10-section, divisible, with consecutive numbers, 1-10, 11-20 etc. up to 991-1000
0804468	SK 7,5/5:FORTL.ZAHLEN	Marker card, self-adhesive, 10-section marker strip, 10 identical decades marked 1-10, 11-20 etc. up to 91-100, sufficient for 100 terminal blocks
<b>Plug/Adapter</b>		
0201744	MPS-MT	Test plugs
0201647	RPS	Reducing plug, Color: gray
<b>Tools</b>		
1205053	SZS 0,6X3,5	Actuation tool, for ST terminal blocks, insulated, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;