


NLC-MOD-RS485

Order No.: 2701182

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2701182>

RS-485 connection for data transfer or software configuration

Commercial data

GTIN (EAN)	
sales group	K254
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 16 (AX-2011)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Supply**

Max. current consumption	18 mA
Typical current consumption	10 mA

General data

Width	24.5 mm
Height	25.5 mm
Depth	49 mm
Ambient temperature (operation)	-25 °C ... 60 °C
Ambient temperature (storage/transport)	-25 °C ... 85 °C

Accessories

Item	Designation	Description
General		
2701289	NLC-MOD-CAP	Replacement cover for slot 1 in base unit.
2701234	NLC-PC/SERIAL-CBL 1M	Cable , serial

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;