


PSM-HCS-KONFTOOL/SC-RJ

Order No.: 2708876

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2708876>

HCS assembly kit for SCRJ quick mounting connectors, including stripping blade, stripping pliers, aramide yarn scissors, fiber stripper, microscope, fiber cleaving tool for standard HCS and HCS GI fibers, and documentation



Commercial data	
GTIN (EAN)	 4 046356 041539
Note	Made-to-order
sales group	H628
Pack	1 pcs.
Customs tariff	82060000
Catalog page information	Page 539 (IF-2011)

Product notesWEEE/RoHS-compliant since:
02/01/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Mechanical characteristics**

Color	black
-------	-------

Certificates / Approvals



Certification GOST

Accessories

Item	Designation	Description
Cable/conductor		
2313766	FL FOC PN-B-HCS-200/230	HCS cable, duplex, 200/230 µm, sold by the meter without connectors, for indoor installation, type B, PVC outer cable sheath, 7 mm outside diameter, PROFINET certified, color: green
2313410	FL FOC PN-C-HCS-GI-200/230	HCS-GI cable for inner laying, duplex 200/230 µm, by the meter without connector, with an increased bandwidth ideal for Ethernet applications, rugged PUR outer sheath , 8 mm outside diameter, color green.
2799885	PSM-LWL-HCS-RUGGED-200/230	HCS cable, duplex 200/230 µm, by the meter, without connector, for indoor installation
2799445	PSM-LWL-HCSO-200/230	HCS cable, duplex 200/230 µm, by the meter, without connector, for outdoor installation
Plug/Adapter		
2313779	PSM-SET-SC-DUPLEX/2-HCS/PN	SC duplex connector set for standard PROFINET HCS fiber cables with 2.2 mm diameter of the individual elements. Consisting of 2 duplex quick mounting connectors with bend protection for self-assembly.
2313070	PSM-SET-SCRJ-DUP/2-HCS	SCRJ connector set for HCS fiber, for self assembly, consisting of 2 duplex quick mounting connectors with bending protection
2313546	PSM-SET-SCRJ-DUP/2-HCS/PN	SCRJ connector set for standard PROFINET HCS fiber cables with 2.2 mm diameter of the individual elements. Consisting of 2 duplex quick mounting connectors with bend protection for self-assembly.
Tools		
2744872	PSM-ARAMID-CUTTER	Aramide scissors. Extremely sharp and rugged scissors with serrated edge for shortening aramide yarn, supporting elements, and other materials. Dimensions: (L x W x H) 165 x 80 x 12 mm, blade length: 42 mm.
2744885	PSM-FO-COATING-STRIP 0.3MM	Optical fiber stripping tool. Tool for removing the primary coating of the optical fiber. Dimensions: (L x W x H) 98 x 45 x 13 mm.

2799539	PSM-FO-POWERMETER	Fiber optic measuring case, consisting of an optical power meter, F-SMA, B-FOC adapters, reference fibers and operating instructions
2744199	PSM-FO-STRIP	Stripping pliers for transmitting individual elements of the fiber optic cable. Especially suited for all polymer and HCS cables. Special mechanics and precise blade form avoid damage to the fiber optic fibers. Dimensions: (L x W x H) 160 x 130 x 36 mm.
2744995	PSM-HCS-CLEAVETOOL	Fiber cleaving tool for HCS fibers, pin assignment: F-SMA for the assembly of F-SMA quick mounting connectors, supplements PSM-HCS-KONFTOOL...
2708478	PSM-HCS-CLEAVETOOL/B-FOC	Fiber cleaving tool for HCS fibers, pin assignment: B-FOC (ST) for the assembly of B-FOC quick mounting connectors, supplements PSM-HCS-KONFTOOL...
2313122	PSM-HCS-CLEAVETOOL/SCRJ	Fiber cleaving tool for HCS fibers, pin assignment: SCRJ or SC duplex for the assembly of SC quick mounting connectors, supplements PSM-HCS-KONFTOOL...
2744898	PSM-HCS-MICROSCOPE 100X	Microscope for visual checks following connector assembly.. 100x zoom, with light. Can be used with two different adapters for F-SMA/B-FOC (ST [®])/SCRJ/SC duplex connectors. Dimensions: (L x W x H) 148 x 44 x 23 mm

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;