

CN-UB/E-BB

Order No.: 2817686

The illustration shows version CN-UB/E

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2817686>

Attachment plug with surge protection, for coaxial signal interfaces with floating shield. Connection: N connector female connector/female connector

Commercial data

GTIN (EAN)	 4 017918 148584
Note	Made-to-order
sales group	J401
Pack	1 pcs.
Customs tariff	85363010
Catalog page information	Page 171 (TT-2011)

Product notes

WEEE/RoHS-compliant since:
05/18/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals



Certification


GOST

Accessories

Item	Designation	Description
Plug/Adapter		
2805038	BNC-DV 50	BNC connector, double-level, for mounting on NS 32 or NS 35/7.5, wave impedance: 50 Ohm
2805041	BNC-V 50	BNC connector, single-level, for mounting on NS 32 or NS 35/7.5, wave impedance: 50 Ohm

Diagrams/Drawings

Circuit diagram



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;