

**NX25-120 &
NX25-240***

WITH



FILL-RITE.

ON
OFF



THE INDUSTRY'S BEST CONTINUOUS DUTY FUEL TRANSFER PUMP

NX25 SERIES PRODUCT OVERVIEW BROCHURE

*NX25-240 available in 2020





NX25 Series with nextec Intelligence™

- ✓ Continuous Duty** - *Transfer fuel all day*
- ✓ True 25 GPM - *High flow fuel transfer rates at the nozzle*
- ✓ Intelligent Tones - *Simplify troubleshooting*
- ✓ Variable Speed Motor - *Optimize performance and improve suction lift*

Models & Specifications

Fill-Rite is proud to announce the newest extension of its continuous duty family with the release of the new nextec Intelligence™ AC models. The NX25-120 and NX25-240* fuel transfer series allow fleet managers to fuel all day with less downtime due to short duty cycles or overheating. Our industry-leading pumps are equipped with a variable speed motor and Fill-Rite's exclusive nextec Intelligence™ technology for elite performance in harsh applications. Its low-profile, lightweight construction eases installation while still moving fuel more efficiently than the competition.

Flow Rate: 25 gpm / 95 lpm
Voltage: 120VAC and 240VAC* (50/60 Hz) models
Horsepower: 1/3 HP
Duty Cycle: Continuous duty for fuel transfer
Inlet/Outlet: 1 1/4" - 1" (NPT or BSP)
Compatible fluids: Diesel, Gasoline, Bio-Diesel up to B20, E15, Kerosene, Mineral Spirits, Methanol (up to 15%)



NX25-120NB-PX	N	120V pump only, bung mount
NX25-120NB-AA	N	120V pump, bung mount, 1" X 18' hose, ultra hi-flow nozzle
NX25-120NB-AB	N	120V pump, bung mount, 1" X 18' hose, ultra hi-flow nozzle, 900CD meter
NX25-120NB-AC	N	120V pump, bung mount, 1" X 18' hose, ultra hi-flow nozzle, 900CDP meter
NX25-120NB-AD	N	120V pump, bung mount, 1" X 20' arctic hose, arctic auto nozzle
NX25-120NB-AE	N	120V pump, bung mount, 1" X 20' arctic hose, arctic auto nozzle, 900CD meter
NX25-120NF-PX	N	120V pump only, foot mount
NX25-120NF-AA	N	120V pump, foot mount, 1" X 18' hose, ultra hi-flow nozzle
NX25-240NF-PX*	N	240V pump only, foot mount
NX25-240BF-PX*	B	240V pump only, foot mount
NX25-240BB-PX*	B	240V pump only, bung mount

N - NPT threads B - BSP threads

PREDICTS. PROTECTS. PERFORMS.

FILL-RITE®

- ✓ Lightweight - Hassle-free installation
- ✓ Auto Power Down After 20 Minutes - Reduce energy costs
- ✓ Magnetic Switch - Smooth operation and field replaceable
- ✓ Reduced Vapor Lock - Keep running in harsh summer temperatures
- ✓ Slow Down in Bypass - Reduce energy consumption
- ✓ Remote On/Off - Ideal for tall, above ground tanks



Intelligent Tones™

Variable speed motor adjusts to load

Continuous duty

Auto power down

Foot mount configuration



Anti-siphon ready

Replaceable magnetic switch

Locking bar

Bung mount configuration



Heavy duty cast iron, self-priming rotary vane pump

2 YEAR WARRANTY
ON ALL MODELS

*NX25-240 available in 2020 **Rated continuous duty for fuel transfer

THE FUTURE OF FUEL TRANSFER



FILL-RITE®

NOTHING CAN STOP YOU NOW.

FIL-BR-488

TUTHILL US
8825 Aviation Drive
Fort Wayne, IN 46809
(260) 747-7524 or (800) 634-2695

TUTHILL UK
Ilkeston, Derbyshire DE7 8YA UK
+44 115 944 6774

